


**BUTT-WELD  
STD WEIGHT &  
EXTRA STRONG**



$$L = A + (\text{Run Pipe OD})/2 + \text{Root Gap}$$

	Outlet Size	Dimensions			Weight
		A	B	C	
STD Weight	NPS 3/8	3/8	1	0.493	0.100
	NPS 1/2	3/8	1 1/8	0.622	0.120
	NPS 3/4	7/8	1 1/2	0.824	0.220
	NPS 1	1 1/16	1 13/16	1.062	0.320
	NPS 1 1/4	1 1/4	2 1/4	1.380	0.640
	NPS 1 1/2	1 5/16	2 9/16	1.625	0.780
	NPS 2	1 1/2	3	2.062	1.140
	NPS 2 1/2	1 5/8	3 11/16	2.500	1.940
	NPS 3	1 3/4	4 5/16	3.125	2.600
	NPS 4	2	5 3/8	4.145	4.120
NPS 6	2 3/8	7 11/16	6.112	11.000	
Extra Strong	NPS 3/8	3/8	1	0.423	0.100
	NPS 1/2	3/8	1 1/8	0.546	0.120
	NPS 3/4	7/8	1 1/2	0.742	0.180
	NPS 1	1 1/16	1 13/16	1.062	0.360
	NPS 1 1/4	1 1/4	2 1/4	1.278	0.550
	NPS 1 1/2	1 5/16	2 9/16	1.625	0.680
	NPS 2	1 1/2	3	2.062	1.240
	NPS 2 1/2	1 5/8	3 11/16	2.500	2.260
	NPS 3	1 3/4	4 5/16	3.125	2.840
	NPS 4	2	5 3/8	4.145	4.560
NPS 6	3 1/16	7 3/4	5.800	15.000	



RUN SIZE CONSOLIDATIONS - STD Weight												
Outlet Size												
	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	4	6
RUN SIZES	1/4	1/2 - 3/8	1 - 1/2	2 - 3/4	1	1 1/4	1 1/2	2	2 1/2	3	4	6
	36 - 3/8	36 - 3/4	36 - 1 1/4	36 - 2 1/2	1 1/2 - 1 1/4	2 - 1 1/2	3 1/2 - 2	3 - 2 1/2	4 - 3	4 - 3 1/2	6 - 5	8
					36 - 2	6 - 2 1/2	36 - 4	6 - 3 1/2	10 - 5	6 - 5	10 - 8	10
						36 - 8		36 - 8	36 - 12	14 - 8	20 - 12	14 - 12
										36 - 16	36 - 22	18 - 16
												34 - 26

► FLAT Flexolet branch connections for use on welding caps, elliptical heads, and flat surfaces is available upon request.

RUN SIZE CONSOLIDATIONS - Extra Strong												
Outlet Size												
	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	4	6
RUN SIZES	36 - 1/4	3/8	3/4 - 1/2	1 1/2 - 3/4	1	2 - 1 1/4	1 1/2	2	2 1/2	3	4	6
		36 - 1/2	36 - 1	36 - 2	1 1/2 - 1 1/4	5 - 2 1/2	3 1/2 - 2	3 - 2 1/2	4 - 3	4 - 3 1/2	6 - 5	8
					36 - 2	36 - 6	36 - 4	6 - 3 1/2	10 - 5	6 - 5	10 - 8	10
								36 - 8	36 - 12	14 - 8	20 - 12	14 - 12
										36 - 16	36 - 22	18 - 16
												34 - 26

► FLAT Flexolet branch connections for use on welding caps, elliptical heads, and flat surfaces is available upon request.